

нержавеющая сталь

perļveģeļšālis tērauds

stainless steel

T-pieces
trejgabali
тройники

ASTM-A 403
DIN 2615

outs.diam. ārejšais diam. наружный диам.	wall thckn sienīņas blz. толщина стенки	INCH-GAS-SCH dimensions			Weight svars вес Theor. kg/pcē	Type	l	h	tp 304/304L 1.4301/1.4306		tp 316/316L 1.4401/1.4404	
		izmērs размер							W	S	W	S
mm	x	mm										
12.00	x	2.00			0.03	2615	17.0					x
15.00	x	2.00			0.04	2615	19.0					x
17.20	x	2.30			0.06	2615	20.0					x
18.00	x	2.00			0.05	2615	22.0					x
20.00	x	2.00			0.06	2615	25.0					x
21.34	x	2.11	1/2"	SCH	10S	0.07	A-403	25.0	x	x	x	x
21.34	x	2.77	1/2"	SCH	40S	0.08	A-403	25.0	x	x	x	x
21.34	x	3.73	1/2"	SCH	80S	0.11	A-403	25.0		x		x
21.34	x	4.75	1/2"	SCH	160S	0.14	A-403	25.0		xe		xe
25.00	x	2.00			0.08	2615	29.0					x
26.67	x	2.11	3/4"	SCH	10S	0.09	A-403	29.0	x	x	x	x
26.67	x	2.87	3/4"	SCH	40S	0.11	A-403	29.0	x	x	x	x
26.67	x	3.91	3/4"	SCH	80S	0.16	A-403	29.0		x		x
26.67	x	5.54	3/4"	SCH	160S	0.22	A-403	29.0		xe		xe
26.90	x	2.00			0.09	ISO	29.0					
30.00	x	2.00			0.10	2615	32.0				x	
33.40	x	2.77	1"	SCH	10S	0.20	A-403	38.0	x	x	x	x
33.40	x	3.38	1"	SCH	40S	0.24	A-403	38.0	x	x	x	x
33.40	x	4.55	1"	SCH	80S	0.32	A-403	38.0		x		x
33.40	x	6.35	1"	SCH	160S	0.44	A-403	38.0		xe		xe
33.70	x	2.00			0.20	ISO	38.0		x		x	
38.00	x	2.00			0.30	2615	30.0				x	
42.16	x	2.77	1.1/4"	SCH	10S	0.33	A-403	48.0	x	x	x	x
42.16	x	3.56	1.1/4"	SCH	40S	0.41	A-403	48.0	x	x	x	x
42.16	x	4.85	1.1/4"	SCH	80S	0.54	A-403	48.0		x		x
42.16	x	6.35	1.1/4"	SCH	160S	0.72	A-403	48.0		xe		xe
42.40	x	2.00			0.30	ISO	48.0		x		x	
44.50	x	2.00			0.15	TB	40.0	2.0	x		x	
44.50	x	2.00			0.41	2615	57.0		x		x	
48.26	x	2.77	1.1/2"	SCH	10S	0.46	A-403	57.0	x	x	x	x
48.26	x	3.68	1.1/2"	SCH	40S	0.60	A-403	57.0	x	x	x	x
48.26	x	5.08	1.1/2"	SCH	80S	0.80	A-403	57.0		x		x
48.26	x	7.14	1.1/2"	SCH	160S	1.12	A-403	57.0		xe		xe
48.30	x	2.00			0.41	ISO	57.0		x		x	
51.00	x	2.00			0.52	2615	57.0				x	
54.00	x	2.00			0.22	TB	50.0	3.0	x		x	
54.00	x	2.00			0.56	2615	64.0				x	
60.30	x	2.00			0.65	ISO	64.0		x		x	
60.33	x	2.77	2"	SCH	10S	0.63	A-403	64.0	x	x	x	x
60.33	x	3.91	2"	SCH	40S	0.87	A-403	64.0	x	x	x	x
60.33	x	5.54	2"	SCH	80S	1.20	A-403	64.0		x		x
60.33	x	8.71	2"	SCH	160S	1.89	A-403	64.0		xe		xe
70.00	x	2.00			0.38	TB	65.0	4.0	x		x	

T-pieces
trejgabali
тройники

nerūsējotais tērauds

stainless steel

ASTM-A 403
DIN 2615

outs.diam. ārejšais diam. наружный diam. mm	wall thckn sienīpas biez. толщина стенки mm	INCH-GAS-SCH dimensions izmērs размер	Weight svars вес Theor. kg/pce	Type	l	h	tp 304/304L 1.4301/1.4306		tp 316/316L 1.4401/1.4404	
							W	S	W	S
70.00	x	2.00	0.67	2615	76.0				x	
73.03	x	3.05	1.01	A-403	76.0		x	x	x	x
73.03	x	5.16	1.66	A-403	76.0		x	x	x	x
73.03	x	7.01	2.19	A-403	76.0			xe		xe
76.10	x	2.00	0.49	TB	76.0	5.0	x		x	
76.10	x	2.00	0.73	ISO	76.0		x		x	
76.10	x	2.90	0.63	TB	76.0	5.0	x		x	
76.10	x	2.90	1.00	ISO	76.0		x		x	
84.00	x	2.00	0.57	TB	80.0	5.0	x		x	
84.00	x	2.00	0.79	2615	80.0				x	
88.90	x	2.00	0.60	TB	80.0	5.0	x		x	
88.90	x	2.00	0.83	ISO	80.0		x		x	
88.90	x	3.00	0.88	TB	80.0	5.0	x		x	
88.90	x	3.00	1.20	ISO	86.0		x		x	
88.90	x	3.05	1.37	A-403	86.0		x	x	x	x
88.90	x	5.49	1.90	A-403	86.0		x	x	x	x
88.90	x	7.62	3.25	A-403	86.0			xe		xe
88.90	x	11.13	5.87	A-403	86.0			xe		xe
104.00	x	2.00	0.89	TB	100.0	7.0	x		x	
104.00	x	2.00	1.25	2615	105.0				x	
114.30	x	2.00	1.00	TB	100.0	7.0	x		x	
114.30	x	2.00	1.22	ISO	105.00		x		x	
114.30	x	3.00	1.44	TB	100.00	7.0	x		x	
114.30	x	3.00	1.95	ISO	105.00		x		x	
114.30	x	3.05	2.15	A-403	114.0		x	x	x	x
114.30	x	6.02	4.13	A-403	114.0		x	x	x	x
114.30	x	8.56	5.74	A-403	114.0			xe		xe
114.30	x	13.49	9.05	A-403	114.0			xe		xe
129.00	x	2.00	1.38	TB	125.0	8.0	x		x	
129.00	x	2.00	1.95	2615	124.0				x	
139.70	x	2.00	1.47	TB	125.0	8.0	x		x	
139.70	x	3.00	2.30	TB	125.0	8.0	x		x	
139.70	x	3.00	5.13	ISO	124.0		x		x	
141.30	x	3.40	3.48	A-403	141.0		xe	xe	xe	xe
141.30	x	6.55	6.55	A-403	141.0			xe		xe
154.00	x	2.00	1.99	TB	150.0	10.0	x		x	
154.00	x	2.00	2.81	2615	143.0				x	
156.00	x	3.00	3.03	TB	150.0	10.0	x		x	
156.00	x	3.00	3.14	ISO	143.0		x		x	
168.28	x	3.40	4.76	A-403	168.0		x	x	x	x
168.28	x	7.11	9.73	A-403	168.0		x	xe	x	xe
168.28	x	10.97	12.8	A-403	168.0			xe		xe
168.30	x	2.00	2.15	TB	150.0	10.0	x		x	

нержавеюшая сталь
 nerisiošais tērauds
 stainless steel

T-pieces
trejgabali
тройники

ASTM-A 403
DIN 2615

outs.diam. ārējais diam. наружный diam. mm	wall thckn sienīgas biez. толщина стенки x mm	INCH-GAS-SCH dimensions izmērs размер	Weight svars вeс Theor. kg/pcs	Type	l	h	tp 304/304L 1.4301/1.4306		tp 316/316L 1.4401/1.4404	
							W	S	W	S
168.30	x	3.00	3.19	TB	150.0	10.0	x		x	
168.30	x	3.00	2.72	ISO	143.0		x		x	
204.00	x	2.00	3.53	TB	200.0	12.0	x		x	
206.00	x	3.00	5.57	TB	200.0	12.0	x		x	
206.00	x	3.00	7.45	2615	178.0				x	
219.08	x	3.76	8.46	A-403	219.0		x		x	
219.08	x	8.18	18.00	A-403	219.0		x	xe	x	xe
219.08	x	12.70	27.40	A-403	219.0			xe		xe
219.10	x	2.00	3.27	TB	200.0	12.0	x		x	
219.10	x	3.00	5.58	TB	200.0	12.0	x		x	
254.00	x	2.00	5.50	TB	250.0	13.0	x		x	
256.00	x	3.00	8.30	TB	250.0	13.0	x		x	
273.00	x	3.00	9.17	TB	250.0	13.0	x		x	
273.05	x	4.19	14.20	A-403	216.0		x		x	
273.05	x	9.27	30.60	A-403	216.0		x		x	
306.00	x	3.00	12.49	TB	300.0	15.0	x		x	
323.85	x	4.57	21.60	A-403	254.0		x		x	
323.85	x	9.53	44.30	A-403	254.0		x		x	
323.90	x	3.00	10.93	TB	300.0	15.0	x		x	
355.60	x	4.78	27.30	A-403	279.0		xe		xe	
355.60	x	9.53	53.70	A-403	279.0		xe		xe	
356.00	x	3.00	16.60	TB	350.0	17.0	xe		xe	
406.40	x	3.00	21.50	TB	400.0	20.0	xe		xe	
406.40	x	4.77	58.90	A-403	305.0		xe		xe	
406.40	x	9.53	99.70	A-403	305.0		xe		xe	
508.00	x	5.53	103.30	A-403	381.0		xe		xe	
508.00	x	9.53	162.20	A-403	381.0		xe		xe	
609.60	x	6.35	155.40	A-403	431.8		xe		xe	
609.60	x	9.53	226.00	A-403	431.8		xe		xe	

T-pieces
trejgabali
тройники

nerūsējais tērauds

stainless steel

ASTM-A 403
DIN 2615

outs.diam. ārējais diam. x наружный diam. mm	outs.diam. ārējais diam. x наружный diam. mm	wall thckn sienuas biez. x толщина стени mm	wall thckn sienuas biez. толщина стени mm	INCH-GAS-SCH dimensions izmērs размер	Weight svars вес Theor. kg/pcs	Type	l	h	tp 304/304L 1.4301/1.4306		tp 316/316L 1.4401/1.4404	
									W	S	W	S
26.67 x	21.34 x	2.11 x	2.11	3/4" x 1/2" SCH 10S	0.08	A-403	28.6		x	xe	x	xe
26.67 x	21.34 x	2.87 x	2.77	3/4" x 1/2" SCH 40S	0.12	A-403	28.6		x	xe	x	xe
26.67 x	21.34 x	3.91 x	3.73	3/4" x 1/2" SCH 80S	0.15	A-403	28.6			xe		xe
33.40 x	21.30 x	2.77 x	2.11	1" x 1/2" SCH 10S	0.19	A-403	38.1		x	xe	x	xe
33.40 x	21.30 x	3.38 x	2.77	1" x 1/2" SCH 40S	0.22	A-403	38.1		x	xe	x	xe
33.40 x	21.30 x	4.55 x	3.73	1" x 1/2" SCH 80S	0.28	A-403	38.1			xe		xe
33.40 x	26.67 x	2.77 x	2.11	1" x 3/4" SCH 10S	0.19	A-403	38.1		x	xe	x	xe
33.40 x	26.67 x	3.38 x	2.87	1" x 3/4" SCH 40S	0.23	A-403	38.1		x	xe	x	xe
33.40 x	26.67 x	4.55 x	3.91	1" x 3/4" SCH 80S	0.29	A-403	38.1			xe		xe
42.16 x	26.67 x	2.77 x	2.11	1.1/4" x 3/4" SCH 10S	0.29	A-403	47.6		x	xe	x	xe
42.16 x	26.67 x	3.56 x	2.87	1.1/4" x 3/4" SCH 40S	0.37	A-403	47.6		x	xe	x	xe
42.16 x	26.67 x	4.85 x	3.91	1.1/4" x 3/4" SCH 80S	0.48	A-403	47.6			xe		xe
42.16 x	33.40 x	2.77 x	2.77	1.1/4" x 1" SCH 10S	0.31	A-403	47.6		x	xe	x	xe
42.16 x	33.40 x	3.56 x	3.38	1.1/4" x 1" SCH 40S	0.39	A-403	47.6		x	xe	x	xe
42.16 x	33.40 x	4.85 x	4.55	1.1/4" x 1" SCH 80S	0.51	A-403	47.6			xe		xe
48.26 x	21.30 x	2.77 x	2.11	1.1/2" x 1/2" SCH 10S	0.39	A-403	57.1		x	xe	x	xe
48.26 x	21.30 x	3.68 x	2.77	1.1/2" x 1/2" SCH 40S	0.51	A-403	57.1		x	xe	x	xe
48.26 x	21.30 x	5.08 x	3.73	1.1/2" x 1/2" SCH 80S	0.67	A-403	57.1			xe		xe
48.26 x	26.67 x	2.77 x	2.11	1.1/2" x 3/4" SCH 10S	0.40	A-403	57.1		x	xe	x	xe
48.26 x	26.67 x	3.68 x	2.87	1.1/2" x 3/4" SCH 40S	0.52	A-403	57.1		x	xe	x	xe
48.26 x	26.67 x	5.08 x	3.91	1.1/2" x 3/4" SCH 80S	0.69	A-403	57.1			xe		xe
48.26 x	33.40 x	2.77 x	2.77	1.1/2" x 1" SCH 10S	0.42	A-403	57.1		x	xe	x	xe
48.26 x	33.40 x	3.68 x	3.38	1.1/2" x 1" SCH 40S	0.55	A-403	57.1		x	xe	x	xe
48.26 x	33.40 x	5.08 x	4.55	1.1/2" x 1" SCH 80S	0.73	A-403	57.1			xe		xe
48.26 x	42.16 x	2.77 x	2.77	1.1/2" x 1.1/4" SCH 10S	0.44	A-403	57.1		x	xe	x	xe
48.26 x	42.16 x	3.68 x	3.56	1.1/2" x 1.1/4" SCH 40S	0.57	A-403	57.1		x	xe	x	xe
48.26 x	42.16 x	5.08 x	4.85	1.1/2" x 1.1/4" SCH 80S	0.77	A-403	57.1			xe		xe
60.30 x	44.00 x	2.00 x	2.00		0.23	TB	50.0	3			x	
60.30 x	33.70 x	2.00 x	2.00		0.28	TB	50.0	2			x	
60.30 x	42.40 x	2.00 x	2.00		0.27	TB	50.0	2			x	
60.30 x	48.30 x	2.00 x	2.00		0.25	TB	50.0	3			x	
60.33 x	33.40 x	2.77 x	2.77	2" x 1" SCH 10S	0.54	A-403	63.5		x	xe	x	xe
60.33 x	33.40 x	3.91 x	3.38	2" x 1" SCH 40S	0.74	A-403	63.5		x	xe	x	xe
60.33 x	33.40 x	5.54 x	4.55	2" x 1" SCH 80S	1.02	A-403	63.5			xe		xe
60.33 x	42.16 x	2.77 x	2.77	2" x 1.1/4" SCH 10S	0.57	A-403	63.5		x	xe	x	xe
60.33 x	42.16 x	3.91 x	3.56	2" x 1.1/4" SCH 40S	0.80	A-403	63.5		x	xe	x	xe
60.33 x	42.16 x	5.54 x	4.85	2" x 1.1/4" SCH 80S	1.07	A-403	63.5			xe		xe
60.33 x	48.26 x	2.77 x	2.77	2" x 1/2" SCH 10S	0.59	A-403	63.5		x	xe	x	xe
60.33 x	48.26 x	3.91 x	3.68	2" x 1/2" SCH 40S	0.83	A-403	63.5		x	xe	x	xe
60.33 x	48.26 x	5.54 x	5.08	2" x 1/2" SCH 80S	1.11	A-403	63.5			xe		xe
69.00 x	44.00 x	2.00 x	2.00		0.41	TB	65.0	3			x	
69.00 x	54.00 x	2.00 x	2.00		0.39	TB	65.0	3			x	
73.03 x	60.30 x	3.05 x	2.77	2.1/2" x 2" SCH 10S	0.94	A-403	76.2		x		x	

T-pieces
trejgabali
тройники

nerūsējotais tērauds

stainless steel

ASTM-A 403
DIN 2615

outs.diam. ārežais diam. наружный diam. mm	x	outs.diam. ārežais diam. наружный diam. mm	x	wall thckn sienīgas biez. толщина стенки mm	x	wall thckn sienīgas biez. толщина стенки mm	INCH-GAS-SCH dimensions izmērs размер	Weight svars вес Theor. kg/pce	Type	l	h	tp 304/304L 1.4301/1.4306		tp 316/316L 1.4401/1.4404	
												W	S	W	S
73.03	x	60.30	x	5.16	x	3.93	2 1/2 x 2" SCH 40S	1.53	A-403	76.2		x	xe	x	xe
76.10	x	33.70	x	2.00	x	2.00		0.50	TB	65.0	2			x	
76.10	x	48.30	x	2.00	x	2.00		0.44	TB	65.0	3			x	
76.10	x	60.30	x	2.00	x	2.00		0.43	TB	65.0	4			x	
84.00	x	44.00	x	2.00	x	2.00		0.63	TB	80.0	3			x	
84.00	x	54.00	x	2.00	x	2.00		0.61	TB	80.0	3			x	
84.00	x	69.00	x	2.00	x	2.00		0.59	TB	80.0	4			x	
88.90	x	48.30	x	2.00	x	2.00		0.65	TB	80.0	3			x	
88.90	x	60.30	x	3.00	x	3.00		0.65	TB	80.0	4			x	
88.90	x	76.10	x	3.00	x	3.00		0.62	TB	80.0	5			x	
88.90	x	33.40	x	3.05	x	2.77	3" x 1" SCH 10S	1.08	A-403	85.7		x	xe	x	xe
88.90	x	33.40	x	5.49	x	3.38	3" x 1" SCH 40S	1.94	A-403	85.7		x	xe	x	xe
88.90	x	48.30	x	3.05	x	2.77	3" x 1 1/2" SCH 10S	1.19	A-403	85.7		x	xe	x	xe
88.90	x	48.30	x	5.49	x	3.68	3" x 1 1/2" SCH 40S	2.05	A-403	85.7		x	xe	x	xe
88.90	x	48.30	x	7.62	x	5.08	3" x 1 1/2" SCH 80S	2.77	A-403	85.7			xe		xe
88.90	x	60.33	x	3.05	x	2.77	3" x 2" SCH 10S	1.23	A-403	85.7		x	xe	x	xe
88.90	x	60.33	x	5.49	x	3.91	3" x 2" SCH 40S	2.16	A-403	85.7		x	xe	x	xe
88.90	x	60.33	x	7.62	x	5.54	3" x 2" SCH 80S	2.85	A-403	85.7			xe		xe
88.90	x	73.03	x	3.05	x	3.05	3" x 2 1/2" SCH 10S	1.31	A-403	85.7		x	xe	x	xe
88.90	x	73.03	x	5.49	x	5.16	3" x 2 1/2" SCH 40S	2.29	A-403	85.7		x	xe	x	xe
104.00	x	54.00	x	2.00	x	2.00		0.99	TB	100.0	3			x	
104.00	x	69.00	x	2.00	x	2.00		0.96	TB	100.0	4			x	
104.00	x	84.00	x	2.00	x	2.00		0.94	TB	100.0	5			x	
114.30	x	60.30	x	3.00	x	3.00		1.61	TB	100.0	4			x	
114.30	x	76.10	x	3.00	x	3.00		1.57	TB	100.0	5			x	
114.30	x	88.90	x	3.00	x	3.00		1.53	TB	100.0	5			x	
114.30	x	60.33	x	3.05	x	2.77	4" x 2" SCH 10S	1.88	A-403	104.8		x	xe	x	xe
114.30	x	60.33	x	6.02	x	3.91	4" x 2" SCH 40S	3.52	A-403	104.8		x	xe	x	xe
114.30	x	60.33	x	8.56	x	5.54	4" x 2" SCH 80S	4.91	A-403	104.8			xe		xe
114.30	x	73.03	x	3.05	x	3.05	4" x 2 1/2" SCH 10S	1.95	A-403	104.8		x	xe	x	xe
114.30	x	73.03	x	6.02	x	5.16	4" x 2 1/2" SCH 40S	3.70	A-403	104.8		x	xe	x	xe
114.30	x	88.90	x	3.05	x	3.05	4" x 3" SCH 10S	2.02	A-403	104.8		x	xe	x	xe
114.30	x	88.90	x	6.02	x	5.49	4" x 3" SCH 40S	3.83	A-403	104.8		x	xe	x	xe
114.30	x	88.90	x	8.56	x	7.62	4" x 3" SCH 80S	5.31	A-403	104.8			xe		xe
129.00	x	84.00	x	2.00	x	2.00		1.50	TB	125.0	5			x	
129.00	x	104.00	x	2.00	x	2.00		1.46	TB	125.0	7			x	
139.70	x	88.90	x	3.00	x	3.00		2.41	TB	125.0	5			x	
139.70	x	114.30	x	3.00	x	3.00		2.32	TB	125.0	7			x	
154.00	x	104.00	x	2.00	x	2.00		2.13	TB	150.0	7			x	
154.00	x	129.00	x	2.00	x	2.00		2.09	TB	150.0	8			x	
168.30	x	114.30	x	3.00	x	3.00		3.48	TB	150.0	7			x	
168.30	x	139.70	x	3.00	x	3.00		3.36	TB	150.0	8			x	

stainless steel
 nerūsējais tērauds
 Т-pieces
 trejgabali
 тройники
 нержавеюшая сталь

outs.diam. ārežais diam. x наружный диам.	outs.diam. ārežais diam. x наружный диам.	wall thckn sienīgas blēz. x толщина стенки	wall thckn sienīgas blēz. толщина стенки	INCH-GAS-SCH dimensions izmērs размер	Weight svars вес Theor. kg/pc	Type	l	h	tp 304/304L 1.4301/1.4306		tp 316/316L 1.4401/1.4404	
									W	S	W	S
168.28 x	88.90 x	3.40 x	3,05	6" x 3" SCH 10S	4.21	A-403	142.9		X	xe	X	xe
168.28 x	88.90 x	7.11 x	5,49	6" x 3" SCH 40S	8.52	A-403	142.9		X	xe	X	xe
168.28 x	114.30 x	3.40 x	3,05	6" x 4" SCH 10S	4.34	A-403	142.9		X	xe	X	xe
168.28 x	114.30 x	7.11 x	6,02	6" x 4" SCH 40S	8.81	A-403	142.9		X	xe	X	xe
206.00 x	156.00 x	3.00 x	3,00		5.73	TB	200.0	10			X	
219.10 x	114.30 x	3.00 x	3,00		6.24	TB	200.0	7			X	
219.10 x	139.70 x	3.00 x	3,00		6.12	TB	200.0	8			X	
219.10 x	168.30 x	3.00 x	3,00		5.95	TB	200.0	10			X	
219.08 x	114.30 x	3.40 x	3,05	8" x 4" SCH 10S	7.48	A-403	177.8		X		X	
219.08 x	114.30 x	8.18 x	6,02	8" x 4" SCH 40S	15.90	A-403	177.8		X	xe	X	xe
219.08 x	168.28 x	3.76 x	3,40	8" x 6" SCH 10S	7.91	A-403	177.8		X		X	
219.08 x	168.28 x	8.18 x	7,11	8" x 6" SCH 40S	16.80	A-403	177.8		X	xe	X	xe
256.00 x	156.00 x	3.00 x	3,00		8.90	TB	250.0	10			xe	
256.00 x	206.00 x	3.00 x	3,00		8.70	TB	250.0	12			xe	
273.00 x	168.30 x	3.00 x	3,00		10.10	TB	250.0	10			xe	
273.00 x	219.00 x	3.00 x	3,00		9.67	TB	250.0	12			xe	
273.05 x	168.30 x	4.19 x	3,40	10" x 6" SCH 10S	12.80	A-403	215.9		xe		xe	
273.05 x	168.30 x	9.27 x	7,11	10" x 6" SCH 40S	27.60	A-403	215.9		xe	xe	xe	xe
273.05 x	219.08 x	4.19 x	3,76	10" x 8" SCH 10S	13.30	A-403	215.9		xe		xe	
273.05 x	219.08 x	9.27 x	8,18	10" x 8" SCH 40S	28.90	A-403	215.9		xe	xe	xe	xe
306.00 x	206.00 x	3.00 x	3,00		12.90	TB	300.0	12			xe	
306.00 x	256.00 x	3.00 x	3,00		12.50	TB	300.0	13			xe	
323.90 x	219.10 x	3.00 x	3,00		13.60	TB	300.0	12			xe	
323.90 x	273.00 x	3.00 x	3,00		13.00	TB	300.0	13			xe	
323.85 x	168.28 x	3.40 x	3,40	12" x 6" SCH 10S	19.10	A-403	254.0		xe		xe	
323.85 x	168.28 x	9.53 x	7,11	12" x 6" SCH 40S	39.10	A-403	254.0		xe	xe-	xe	xe
323.85 x	219.08 x	4.57 x	3,76	12" x 8" SCH 10S	19.60	A-403	254.0		xe		xe	
323.85 x	219.08 x	9.53 x	8,18	12" x 8" SCH 40S	40.30	A-403	254.0		xe	xe	xe	xe
323.85 x	273.05 x	4.57 x	4,19	12" x 10" SCH 10S	20.50	A-403	254.0		xe		xe	
323.85 x	273.05 x	9.53 x	9,27	12" x 10" SCH 40S	42.30	A-403	254.0		xe	xe	xe	xe

ASTM-A 403
DIN 2615