

нержавейная сталь
 stainless steel
 nerzavajotais tērauds

reduces (concentric)
 redukcijas pārejas (koncentriskas)
 нержавеющей переход (концентрический)

outs.diam. ārežais diam. наружный диам.	x	outs.diam. ārežais diam. наружный диам.	x	wall thckn sienuņas biez.		INCH-GAS-SCH dimensjons izmērs размер	weight svars вєс kg/st	c	tp 304/304L 1.4301/1.4306		tp 316/316L 1.4401/1.4404	
				mm	mm				W	S	W	S
21,30	x	13,70	x	2,00	x	2,00	0.020	23.0			x	
21,30	x	17,20	x	2,00	x	2,00	0.030	12.0			x	
21,34	x	13,72	x	2,11	x	1,65	0.020	38.1				x
21,34	x	13,72	x	2,77	x	2,24	0.030	38.1				x
21,34	x	17,15	x	2,11	x	1,65	0.020	38.1				x
21,34	x	17,15	x	2,77	x	2,31	0.030	38.1				x
25,00	x	20,00	x	2,00	x	2,00	0.060	15.0			x	
26,67	x	21,33	x	2,11	x	2,11	0.043	38.1	x	x	x	x
26,67	x	21,33	x	2,87	x	2,77	0.059	38.1	x	x	x	x
26,67	x	21,33	x	3,91	x	3,73	0.075	38.1		x		x
26,90	x	17,20	x	2,00	x	2,00	0.060	29.0			x	
26,90	x	21,30	x	2,00	x	2,00	0.060	17.0	x		x	
30,00	x	20,00	x	2,00	x	2,00	0.030	30.0			x	
30,00	x	25,00	x	2,00	x	2,00	0.020	15.0			x	
31,80	x	25,40	x	1,50	x	1,50	0.030	30.0			x	
33,40	x	21,33	x	2,77	x	2,11	0.086	50.8	x	x	x	x
33,40	x	21,33	x	3,38	x	2,77	0.105	50.8	x	x	x	x
33,40	x	21,33	x	4,55	x	3,73	0.133	50.8		x		x
33,40	x	26,67	x	2,77	x	2,11	0.095	50.8	x	x	x	x
33,40	x	26,67	x	3,38	x	2,87	0.116	50.8	x	x	x	x
33,40	x	26,67	x	4,55	x	3,91	0.147	50.8		x		x
33,70	x	17,20	x	2,00	x	2,00	0.070	50.0			x	
33,70	x	21,30	x	2,00	x	2,00	0.050	37.0	x		x	
33,70	x	26,90	x	2,00	x	2,00	0.030	20.0	x		x	
38,00	x	20,00	x	2,00	x	2,00	0.050	30.0			x	
38,00	x	25,00	x	2,00	x	2,00	0.030	39.0			x	
38,10	x	31,80	x	1,50	x	1,50	0.050	38.0			x	
38,10	x	25,40	x	1,50	x	1,50	0.050	38.0			x	
42,16	x	21,30	x	2,77	x	2,11	0.103	50.8	x	x	x	x
42,16	x	21,30	x	3,56	x	2,77	0.132	50.8	x	x	x	x
42,16	x	21,30	x	4,85	x	3,73	0.171	50.8		x		x
42,16	x	26,67	x	2,77	x	2,11	0.111	50.8	x	x	x	x
42,16	x	26,67	x	3,56	x	2,87	0.143	50.8	x	x	x	x
42,16	x	26,67	x	4,85	x	3,91	0.187	50.8		x		x
42,16	x	33,40	x	2,77	x	2,77	0.122	50.8	x	x	x	x
42,16	x	33,40	x	3,56	x	3,38	0.157	50.8	x	x	x	x
42,16	x	33,40	x	4,85	x	4,55	0.206	50.8		x		x
42,40	x	21,30	x	2,00	x	2,00	0.120	63.0	x		x	
42,40	x	26,90	x	2,00	x	2,00	0.080	46.0	x		x	
42,40	x	33,70	x	2,00	x	2,00	0.050	26.0	x		x	
44,50	x	20,00	x	2,00	x	2,00	0.120	72.0			x	
44,50	x	25,00	x	2,00	x	2,00	0.090	60.0			x	
44,50	x	30,00	x	2,00	x	2,00	0.070	45.0			x	

nerūsajušais tērauds

stainless steel

reduces (concentric)
 redukcijas pārejas (koncentriskas)
 нержавеющей переход (концентрический)

ASTM-A 403
 DIN 2616

outs.diam. ārējais diam. наружный diam.	x	outs.diam. ārējais diam. наружный diam.	x	wall thckn sienīgas biez. толщина стенки	x	wall thckn sienīgas biez. толщина стенки	INCH-GAS-SCH dimensions izmērs размер	weight svars вєс kg/st	c	tp 304/304L 1.4301/1.4306		tp 316/316L 1.4401/1.4404	
										W	S	W	S
48.26	x	21.30	x	3.68	x	2.77	1/2" x 1/2" SCH 40S	0.183	63.5	x	x	x	x
48.26	x	21.30	x	5.08	x	3.73	1/2" x 1/2" SCH 80S	0.242	63.5	x	x	x	x
48.26	x	26.67	x	2.77	x	2.11	1/2" x 3/4" SCH 10S	0.153	63.5	x	x	x	x
48.26	x	26.67	x	3.68	x	2.87	1/2" x 3/4" SCH 40S	0.201	63.5	x	x	x	x
48.26	x	26.67	x	5.08	x	3.91	1/2" x 3/4" SCH 80S	0.266	63.5	x	x	x	x
48.26	x	33.40	x	2.77	x	2.77	1/2" x 1" SCH 10S	0.166	63.5	x	x	x	x
48.26	x	33.40	x	3.68	x	3.38	1/2" x 1" SCH 40S	0.219	63.5	x	x	x	x
48.26	x	33.40	x	5.08	x	4.55	1/2" x 1" SCH 80S	0.291	63.5	x	x	x	x
48.26	x	42.16	x	2.77	x	2.77	1/2" x 1/4" SCH 10S	0.184	63.5	x	x	x	x
48.26	x	42.16	x	3.68	x	3.56	1/2" x 1/4" SCH 40S	0.243	63.5	x	x	x	x
48.26	x	42.16	x	5.08	x	4.85	1/2" x 1/4" SCH 80S	0.324	63.5	x	x	x	x
48.30	x	21.30	x	2.00	x	2.00		0.160	81.0	x		x	
48.30	x	26.90	x	2.00	x	2.00		0.120	64.0	x		x	
48.30	x	33.70	x	2.00	x	2.00		0.090	44.0	x		x	
48.30	x	42.40	x	2.00	x	2.00		0.040	18.0	x		x	
50.80	x	25.40	x	1.50	x	1.50		0.080	50.0			x	
50.80	x	31.80	x	1.50	x	1.50		0.080	50.0			x	
50.80	x	38.10	x	1.50	x	1.50		0.090	33.0			x	
54.00	x	30.00	x	2.00	x	2.00		0.140	75.0			x	
54.00	x	44.50	x	2.00	x	2.00		0.070	30.0	x		x	
60.30	x	21.30	x	2.00	x	2.00		0.270	117.0	x		x	
60.30	x	26.90	x	2.00	x	2.00		0.220	100.0	x		x	
60.30	x	33.70	x	2.00	x	2.00		0.190	80.0	x		x	
60.30	x	42.40	x	2.00	x	2.00		0.140	54.0	x		x	
60.30	x	48.30	x	2.00	x	2.00		0.100	36.0	x		x	
60.33	x	21.30	x	2.77	x	2.11	2" x 1/2" SCH 10S	0.225	76.1	x	x	x	x
60.33	x	21.30	x	3.91	x	2.77	2" x 1/2" SCH 40S	0.279	76.1	x	x	x	x
60.33	x	21.30	x	5.54	x	3.73	2" x 1/2" SCH 80S	0.379	76.1	x	x	x	x
60.33	x	26.67	x	2.77	x	2.11	2" x 3/4" SCH 10S	0.217	76.1	x	x	x	x
60.33	x	26.67	x	3.91	x	2.87	2" x 3/4" SCH 40S	0.300	76.1	x	x	x	x
60.33	x	26.67	x	5.54	x	3.91	2" x 3/4" SCH 80S	0.406	76.1	x	x	x	x
60.33	x	33.40	x	2.77	x	2.77	2" x 1" SCH 10S	0.233	76.1	x	x	x	x
60.33	x	33.40	x	3.91	x	3.38	2" x 1" SCH 40S	0.322	76.1	x	x	x	x
60.33	x	33.40	x	5.54	x	4.55	2" x 1" SCH 80S	0.438	76.1	x	x	x	x
60.33	x	42.16	x	2.77	x	2.77	2" x 1/4" SCH 10S	0.254	76.1	x	x	x	x
60.33	x	42.16	x	3.91	x	3.56	2" x 1/4" SCH 40S	0.352	76.1	x	x	x	x
60.33	x	42.16	x	5.54	x	4.85	2" x 1/4" SCH 80S	0.478	76.1	x	x	x	x
60.33	x	48.26	x	2.77	x	2.77	2" x 1/4" SCH 10S	0.269	76.1	x	x	x	x
60.33	x	48.26	x	3.91	x	3.68	2" x 1/4" SCH 40S	0.372	76.1	x	x	x	x
60.33	x	48.26	x	5.54	x	5.08	2" x 1/4" SCH 80S	0.508	76.1	x	x	x	x
63.50	x	25.40	x	1.50	x	1.50		0.120	60.0			x	
63.50	x	38.10	x	1.50	x	1.50		0.120	51.0			x	
44.50	x	30.00	x	2.00	x	2.00		0.070	45.0			x	

nerūdzošā tērauda

stainless steel

reduces (concentric)
redukcijas pārejas (koncentriskas)
нержавеющий переход (концентрический)

ASTM-A 403
DIN 2616

outs.diam. ārējais diam. наружный diam.	x	outs.diam. ārējais diam. наружный diam.	x	wall thckn sienas biež. толщина стенки	x	wall thckn sienas biež. толщина стенки	INCH-GAS-SCH dimensions izmērs размер	weight svars вєс kg/st	c	tp 304/304L .4301/1.4306		tp 316/316L 4401/1.4404	
										W	S	W	S
mm		mm		mm		mm							
70.00	x	44.50	x	2.00	x	2.00		0.200	75.0			x	
70.00	x	54.00	x	2.00	x	2.00		0.130	45.0			x	
73.03	x	42.16	x	3.05	x	2.77	2.1/2" x 1.1/4" SCH 10S	0.370	88.9	x	x	x	x
73.03	x	42.16	x	5.16	x	3.56	2.1/2" x 1.1/4" SCH 40S	0.631	88.9	x	x	x	x
73.03	x	42.16	x	7.01	x	4.85	2.1/2" x 1.1/4" SCH 80S	0.789	88.9		xe		xe
73.03	x	48.30	x	3.05	x	2.77	2.1/2" x 1.1/2" SCH 10S	0.388	88.9	x	x	x	x
73.03	x	48.30	x	5.16	x	3.68	2.1/2" x 1.1/2" SCH 40S	0.661	88.9	x	x	x	x
73.03	x	48.30	x	7.01	x	5.08	2.1/2" x 1.1/2" SCH 80S	0.831	88.9		xe		xe
73.03	x	60.30	x	3.05	x	2.77	2.1/2" x 2" SCH 10S	0.426	88.9	x	x	x	x
73.03	x	60.30	x	5.16	x	3.91	2.1/2" x 2" SCH 40S	0.724	88.9	x	x	x	x
73.03	x	60.30	x	7.01	x	5.54	2.1/2" x 2" SCH 80S	0.919	88.9		xe		xe
76.10	x	25.40	x	1.50	x	1.50		0.200	80.0			x	
76.10	x	33.70	x	2.00	x	2.00		0.350	127.0	x		x	
76.10	x	38.10	x	1.50	x	1.50		0.200	89.0			x	
76.10	x	42.40	x	2.00	x	2.00		0.300	101.0	x		x	
76.10	x	48.30	x	2.00	x	2.00		0.260	83.0	x		x	
76.10	x	50.80	x	1.50	x	1.50		0.200	56.0			x	
76.10	x	60.30	x	2.00	x	2.00		0.160	47.0	x		x	
76.10	x	60.30	x	3.00	x	3.00		0.250	47.0	x		x	
76.10	x	63.50	x	1.50	x	1.50		0.250	27.0			x	
84.00	x	44.50	x	2.00	x	2.00		0.360	120.0			x	
84.00	x	54.00	x	2.00	x	2.00		0.300	90.0	x		x	
84.00	x	70.00	x	2.00	x	2.00		0.170	45.0			x	
88.90	x	33.70	x	2.00	x	2.00		0.510	166.0	x		x	
88.90	x	42.40	x	2.00	x	2.00		0.460	139.0	x		x	
88.90	x	48.30	x	2.00	x	2.00		0.430	122.0	x		x	
88.90	x	60.30	x	2.00	x	2.00		0.520	86.0	x		x	
88.90	x	60.30	x	3.00	x	3.00		0.480	86.0	x		x	
88.90	x	76.10	x	2.00	x	2.00		0.160	38.0	x		x	
88.90	x	76.10	x	3.00	x	3.00		0.240	38.0	x		x	
88.90	x	33.40	x	3.05	x	2.77	3" x 1" SCH 10S	0.426	88.9	x	x	x	x
88.90	x	33.40	x	5.49	x	3.38	3" x 1" SCH 40S	0.742	88.9	x	x	x	x
88.90	x	33.40	x	7.62	x	4.55	3" x 1" SCH 80S	0.825	88.9		xe		xe
88.90	x	42.16	x	3.05	x	2.77	3" x 1.1/4" SCH 10S	0.431	88.9	x	x	x	x
88.90	x	42.16	x	5.49	x	3.56	3" x 1.1/4" SCH 40S	0.753	88.9	x	x	x	x
88.90	x	42.16	x	7.62	x	4.85	3" x 1.1/4" SCH 80S	0.956	88.9		xe		xe
88.90	x	48.26	x	3.05	x	2.77	3" x 1.1/2" SCH 10S	0.449	88.9	x	x	x	x
88.90	x	48.26	x	5.49	x	3.68	3" x 1.1/2" SCH 40S	0.783	88.9	x	x	x	x
88.90	x	48.26	x	7.62	x	5.08	3" x 1.1/2" SCH 80S	1.040	88.9		xe		xe
88.90	x	60.30	x	3.05	x	2.77	3" x 2" SCH 10S	0.484	88.9	x	x	x	x
88.90	x	60.30	x	5.49	x	3.91	3" x 2" SCH 40S	0.846	88.9	x	x	x	x
88.90	x	60.30	x	7.62	x	5.54	3" x 2" SCH 80S	1.130	88.9		xe		xe
44.50	x	30.00	x	2.00	x	2.00		0.070	45.0			x	

нержавиошва сталь
 stainless steel
 nerodajciakis feruuds

reduces (concentric)
 redukcijas pārejas (koncentriskas)
 нержавеющей переход (концентрический)

ASTM-A 403
 DIN 2616

outs.diam. ārējais diam. наружный diam. mm	x	outs.diam. ārējais diam. наружный diam. mm	x	wall thckn sienļņas biež. толщина стенки mm	x	wall thckn sienļņas biež. толщина стенки mm	INCH-GAS-SCH dimensions izmērs размер	weight svars вєс kg/st	c	tp 304/304L 1.4301/1.4306		tp 316/316L 1.4401/1.4404	
										W	S	W	S
88.90	x	73.03	x	5.49	x	5.16	3" x 2.1/2" SCH 40S	0.933	88.9	x	x	x	x
88.90	x	73.03	x	7.62	x	7.01	3" x 2.1/2" SCH 80S	1.230	88.9	x	xe	x	xe
101.60	x	50.80	x	1.50	x	1.50		0.330	100.0			x	
101.60	x	63.50	x	1.50	x	1.50		0.400	61.0			x	
101.60	x	76.10	x	1.50	x	1.50		0.400	34.0			x	
104.00	x	54.00	x	2.00	x	2.00		0.570	150.0	x		x	
104.00	x	70.00	x	2.00	x	2.00		0.440	105.0			x	
104.00	x	76.10	x	2.00	x	2.00		0.350	84.0	x		x	
104.00	x	84.00	x	2.00	x	2.00		0.270	60.0	x		x	
114.30	x	33.70	x	2.00	x	2.00		0.920	242.0	x		x	
114.30	x	42.40	x	2.00	x	2.00		0.860	216.0	x		x	
114.30	x	48.30	x	2.00	x	2.00		0.820	198.0	x		x	
114.30	x	60.30	x	2.00	x	2.00		0.720	162.0	x		x	
114.30	x	60.30	x	3.00	x	3.00		1.070	162.0	x		x	
114.30	x	76.10	x	2.00	x	2.00		0.550	115.0	x		x	
114.30	x	76.10	x	3.00	x	3.00		0.830	115.0	x		x	
114.30	x	88.90	x	2.00	x	2.00		0.390	76.0	x		x	
114.30	x	88.90	x	3.00	x	3.00		0.590	76.0	x		x	
114.30	x	48.26	x	3.05	x	2.77	4" x 1.1/2" SCH 10S	0.629	101.6	x	xe	x	xe
114.30	x	48.26	x	6.02	x	3.68	4" x 1.1/2" SCH 40S	1.180	101.6	x	xe	x	xe
114.30	x	48.26	x	8.56	x	5.08	4" x 1.1/2" SCH 80S	1.640	101.6		xe		xe
114.30	x	60.30	x	3.05	x	2.77	4" x 2" SCH 10S	0.665	101.6	x	xe	x	xe
114.30	x	60.30	x	6.02	x	3.91	4" x 2" SCH 40S	1.270	101.6	x	xe	x	xe
114.30	x	60.30	x	8.56	x	5.54	4" x 2" SCH 80S	1.760	101.6		xe		xe
114.30	x	73.03	x	3.05	x	3.05	4" x 2.1/2" SCH 10S	0.706	101.6	x	xe	x	xe
114.30	x	73.03	x	6.02	x	5.16	4" x 2.1/2" SCH 40S	1.370	101.6	x	xe	x	xe
114.30	x	73.03	x	8.56	x	7.01	4" x 2.1/2" SCH 80S	1.860	101.6		xe		xe
114.30	x	88.90	x	3.05	x	3.05	4" x 3" SCH 10S	0.758	101.6	x	xe	x	xe
114.30	x	88.90	x	6.02	x	5.49	4" x 3" SCH 40S	1.450	101.6	x	xe	x	xe
114.30	x	88.90	x	8.56	x	7.62	4" x 3" SCH 80S	2.020	101.6		xe		xe
129.00	x	70.00	x	2.00	x	2.00		0.870	180.0			x	
129.00	x	76.10	x	2.00	x	2.00		0.790	159.0	x		x	
129.00	x	84.00	x	2.00	x	2.00		0.700	135.0	x		x	
129.00	x	104.00	x	2.00	x	2.00		0.430	75.0	x		x	
139.70	x	48.30	x	2.00	x	2.00		1.310	274.0	x		x	
139.70	x	60.30	x	2.00	x	2.00		1.210	238.0	x		x	
139.70	x	60.30	x	3.00	x	3.00		1.810	238.0	x		x	
139.70	x	76.10	x	2.00	x	2.00		1.040	191.0	x		x	
139.70	x	76.10	x	3.00	x	3.00		1.560	191.0	x		x	
139.70	x	88.90	x	2.00	x	2.00		0.880	152.0	x		x	
139.70	x	88.90	x	3.00	x	3.00		1.320	152.0	x		x	
139.70	x	114.30	x	2.00	x	2.00		0.490	76.0	x		x	

nerūsējais tērauds
 stainless steel

reduces (concentric)
 redukcijas pārejas (koncentriskas)
 нержавеющей переход (концентрический)

ASTM-A 403
 DIN 2616

outs.diam. ārējais diam. наружный diam. mm	x	outs.diam. ārējais diam. наружный diam. mm	x	wall thckn sienas biez. толщина стенки mm	x	wall thckn sienas biez. толщина стенки mm	INCH-GAS-SCH dimensions izmērs размер	weight svars вєс kg/st	c	tp 304/304L 1.4301/1.4306		tp 316/316L 1.4401/1.4404	
										W	S	W	S
141.30	x	73.05	x	3.40	x	3.05	5" x 2 1/2" SCH 10S	1.140	127.0	xe	xe	xe	xe
141.30	x	73.05	x	6.55	x	5.16	5" x 2 1/2" SCH 40S	2.160	127.0	xe	xe	xe	xe
141.30	x	88.90	x	3.40	x	3.05	5" x 3" SCH 10S	1.220	127.0	xe	xe	xe	xe
141.30	x	88.90	x	6.55	x	5.49	5" x 3" SCH 40S	2.270	127.0	xe	xe	xe	xe
141.30	x	114.30	x	3.40	x	3.05	5" x 4" SCH 10S	1.330	127.0	x	xe	x	xe
141.30	x	114.30	x	6.55	x	6.02	5" x 4" SCH 40S	2.500	127.0	x	xe	x	xe
154.00	x	84.00	x	2.00	x	2.00		1.220	210.0	x		x	
154.00	x	104.00	x	2.00	x	2.00		0.950	150.0	x		x	
154.00	x	129.00	x	2.00	x	2.00		0.520	75.0	x		x	
168.30	x	60.30	x	2.00	x	2.00		1.880	324.0	x		x	
168.30	x	60.30	x	3.00	x	3.00		2.810	324.0	x		x	
168.30	x	76.10	x	2.00	x	2.00		1.710	277.0	x		x	
168.30	x	76.10	x	3.00	x	3.00		1.560	277.0	x		x	
168.30	x	88.90	x	2.00	x	2.00		1.550	238.0	x		x	
168.30	x	88.90	x	3.00	x	3.00		1.940	238.0	x		x	
168.30	x	114.30	x	2.00	x	2.00		1.160	162.0	x		x	
168.30	x	114.30	x	3.00	x	3.00		1.740	162.0	x		x	
168.30	x	139.70	x	2.00	x	2.00		0.670	86.0	x		x	
168.30	x	139.70	x	3.00	x	3.00		1.000	86.0	x		x	
168.28	x	114.30	x	3.40	x	3.05	6" x 4" SCH 10S	1.650	140.0	x	xe	x	xe
168.28	x	114.30	x	8.18	x	6.02	6" x 4" SCH 40S	3.300	140.0	x	xe	x	xe
168.28	x	114.30	x	10.97	x	8.56	6" x 4" SCH 80S	4.960	140.0	x	xe	x	xe
168.28	x	141.30	x	3.40	x	3.40	6" x 5" SCH 10S	1.780	140.0	x	xe	x	xe
168.28	x	141.30	x	8.18	x	7.11	6" x 5" SCH 40S	3.570	140.0	x	xe	x	xe
204.00	x	104.00	x	2.00	x	2.00		2.280	300.0	x		x	
204.00	x	129.00	x	2.00	x	2.00		1.850	225.0	x		x	
204.00	x	154.00	x	2.00	x	2.00		1.330	150.0	x		x	
206.00	x	156.00	x	3.00	x	3.00		2.000	150.0	x		x	
219.10	x	114.30	x	2.00	x	2.00		2.660	314.0	x		x	
219.10	x	114.30	x	3.00	x	3.00		3.980	314.0	x		x	
219.10	x	139.70	x	2.00	x	2.00		2.170	238.0	x		x	
219.10	x	139.70	x	3.00	x	3.00		3.250	238.0	x		x	
219.10	x	168.30	x	2.00	x	2.00		1.500	152.0	x		x	
219.10	x	168.30	x	3.00	x	3.00		2.240	152.0	x		x	
219.08	x	114.30	x	3.76	x	3.05	8" x 4" SCH 10S	2.430	152.0	x		x	
219.08	x	114.30	x	8.18	x	6.02	8" x 4" SCH 40S	5.100	152.0	x	xe	x	xe
219.08	x	168.30	x	3.76	x	3.40	8" x 6" SCH 10S	2.720	152.0	x		x	
219.08	x	168.30	x	8.18	x	7.11	8" x 6" SCH 40S	5.710	152.0	x	xe	x	xe
254.00	x	154.00	x	2.00	x	2.00		3.560	300.0	x		x	
254.00	x	204.00	x	2.00	x	2.00		3.040	150.0	x		x	
256.00	x	156.00	x	3.00	x	3.00		4.560	300.0	x		x	
256.00	x	206.00	x	3.00	x	3.00		2.570	150.0	x		x	

neredzamošā caurule
 stainless steel

reduces (concentric)
 redukcijas pārejas (koncentriskas)
 нержавеющий переход (концентрический)

ASTM-A 403
 DIN 2616

outs.diam. ārejšis diam. наружный диам.	x	outs.diam. ārejšis diam. наружный диам.	x	wall thckn slēnīgas blz. толщина стенки		INCH-GAS-SCH dimensions izmērs размер				weight svars всг kg/ст	c	tp 304/304L 1.4301/1.4306		tp 316/316L 1.4401/1.4404	
				mm	mm	mm	mm							W	S
273.00	x	219.10	x	3.00	x	3.00				3.020	162.0	x		x	
273.05	x	168.28	x	4.19	x	3.40	10"	x	6"	SCH 10S	4.140	179.0	x		x
273.05	x	168.28	x	9.27	x	7.11	10"	x	6"	SCH 40S	8.780	179.0	x	x	x
273.05	x	219.08	x	4.19	x	3.76	10"	x	8"	SCH 10S	4.490	179.0	x		x
273.05	x	219.08	x	9.27	x	8.18	10"	x	8"	SCH 40S	9.580	179.0	x	x	x
304.00	x	204.00	x	2.00	x	2.00					5.120	300.0	x		x
304.00	x	254.00	x	2.00	x	2.00					3.800	150.0	x		x
306.00	x	206.00	x	3.00	x	3.00					5.700	300.0	x		x
356.00	x	256.00	x	3.00	x	3.00					3.140	150.0	x		x
323.90	x	219.10	x	3.00	x	3.00					6.490	314.0	x		x
323.90	x	273.00	x	3.00	x	3.00					3.460	152.0	x		x
323.85	x	168.28	x	4.57	x	3.40	12"	x	6"	SCH 10S	5.920	203.0	x		x
323.85	x	168.28	x	9.53	x	7.11	12"	x	6"	SCH 40S	11.800	203.0	x	x	x
323.85	x	219.08	x	4.57	x	3.76	12"	x	8"	SCH 10S	6.310	203.0	x		x
323.85	x	219.08	x	9.53	x	8.18	12"	x	8"	SCH 40S	12.700	203.0	x	x	x
323.85	x	273.05	x	4.57	x	4.19	12"	x	10"	SCH 10S	6.780	203.0	x		x
323.85	x	273.05	x	9.53	x	9.27	12"	x	10"	SCH 40S	13.600	203.0	x	x	x
355.60	x	273.05	x	4.78	x	4.19	14"	x	10"	SCH 10S	12.100	330.2	a		a
355.60	x	273.05	x	9.53	x	9.27	14"	x	10"	SCH 40S	23.600	330.2	a		a
355.60	x	323.85	x	4.78	x	4.57	14"	x	12"	SCH 10S	13.000	330.2	a		a
355.60	x	323.85	x	9.53	x	9.53	14"	x	12"	SCH 40S	25.400	330.2	a		a
356.00	x	256.00	x	3.00	x	3.00					6.840	350.0	x		x
356.00	x	306.00	x	3.00	x	3.00					3.710	350.0	x		x
406.00	x	306.00	x	3.00	x	3.00					7.980	400.0	x		x
406.00	x	356.00	x	3.00	x	3.00					4.280	400.0	x		x
406.40	x	323.85	x	4.78	x	4.57	16"	x	12"	SCH 10S	15.200	355.6	a		a
406.40	x	323.85	x	9.53	x	9.53	16"	x	12"	SCH 40S	29.600	355.6	a		a
406.40	x	355.60	x	4.78	x	4.78	16"	x	14"	SCH 10S	15.800	355.6	a		a
406.40	x	355.60	x	9.53	x	9.53	16"	x	14"	SCH 40S	31.000	355.6	a		a
456.00	x	356.00	x	3.00	x	3.00					9.120	450.0	a		a
456.00	x	406.00	x	3.00	x	3.00					4.810	450.0	a		a
457.20	x	355.60	x	4.78	x	4.78	18"	x	14"	SCH 10S	18.200	381.0	a		a
457.20	x	406.40	x	9.53	x	9.53	18"	x	14"	SCH 40S	35.700	381.0	a		a
457.20	x	355.60	x	4.78	x	4.78	18"	x	16"	SCH 10S	19.200	381.0	a		a
457.20	x	406.40	x	9.53	x	9.53	18"	x	16"	SCH 40S	37.800	381.0	a		a
506.00	x	306.00	x	3.00	x	3.00					18.200	500.0	a		a
506.00	x	406.00	x	3.00	x	3.00					10.300	500.0	a		a
508.00	x	406.40	x	5.54	x	4.78	20"	x	16"	SCH 10S	31.700	508.0	a		a
508.00	x	457.20	x	9.53	x	9.53	20"	x	16"	SCH 40S	53.500	508.0	a		a
508.00	x	406.40	x	5.54	x	4.78	20"	x	18"	SCH 10S	33.100	508.0	a		a
508.00	x	457.20	x	9.53	x	9.53	20"	x	18"	SCH 40S	56.400	508.0	a		a